



FARIZON SV

BORN ELECTRIC. BUILT FOR BUSINESS.

CONTENTS

Overview	3-4
Exterior	5
Interior	6
Space	7
Performance	8
Dimensions & Weights	9-13
Full Model Range & Features	14
More Information	15



BORN ELECTRIC.
BUILT FOR BUSINESS.



YOUR OFFICE. FULLY KITTED OUT.

The Farizon SV is a game-changing, all-electric large van designed for the future of commercial mobility. Built from the ground up with innovation at its core, the SV offers industry-first technology, exceptional cargo capacity, and outstanding efficiency.

Whether you're a fleet operator or a tradesperson, the SV is a high-performing, sustainable and practical solution designed to meet and exceed the needs of commercial vehicle users.



→ **MAX. WLTP RANGE**
(COMBINED/CITY)*
247/342 MILES

 **MAX. PAYLOAD***
1,350 KG

 **MAX CARGO**
VOLUME* 13 M3

* Subject to model variant

AVAILABLE IN 6 COLOURS

Find the colour that works for your lifestyle, or puts your business on the road in style.



Bamboo Green

Pale Blue

Porcelain Grey

Jade White

Brocade Gold

Ink Black

SIZE & POWER VARIATIONS


L1 H1	L1 H2	L2 H2	L2 H3	L3 H3
67 kWh	.	67 kWh	.	.
83 kWh	83 kWh	83 kWh	83 kWh	83 kWh
.	.	.	.	106 kWh

EXTERIOR



 ILLUMINATED
GRILLE LOGO

 16-INCH
WHEELS

 270 DEGREE
REAR DOORS
(OPTIONAL)



 FARIZON



COMFORTABLE AND HIGH-TECH CABIN

Driver-Centric Design
Three-seat layout with a spacious, ergonomic interior. Physical buttons are retained on the dashboard and centre console for key functions to minimise driver distraction.

12.3-inch Floating Touchscreen
Controls for navigation, multimedia playback, online streaming, Bluetooth, Apple CarPlay and ADAS systems.

Digital Instrument Cluster
A customisable full-colour 7-inch display provides key driving data. Multiple combinations of key information can be easily configured by the driver via the steering wheel controls.

Heated Multi-Function Steering Wheel
Access to Intelligent Cruise Control, hands-free calling, and Intelligent Speech Assistant.

Advanced Payload Monitoring
Displays load weight in real time to help avoid overloading.




12.3-INCH FLOATING TOUCHSCREEN



COMFORT HEATED AND VENTILATED SEATS



7-INCH DIGITAL INSTRUMENT CLUSTER



FARIZON

SPACE



BUILT FOR BUSINESS

Exceptional Cargo Space
Available in five size configurations (L1 H1 to L3 H3), the SV offers up to 13 m³ of cargo volume and a payload capacity of up to 1,350 kg, the highest in its class.

Extra-Low Loading Height
Just 550mm for easier loading and unloading.

Smart Interior Features
Pre-installed anchor points, easy-access side and rear doors, and a flexible cargo area for custom shelving and storage solutions.

Advanced Payload Monitoring
Displays load weight in real-time to help avoid overloading.

+1M3
MORE THAN THE
MARKET LEADING VAN*

MAX CAPACITY**
13 M3


CARGO PLATFORM
HEIGHT 550 MM

* Comparing L1 H1 and L2 H2 variants
** Subject to model variant

LOADING CAPACITY

L1 H1	L1 H2	L2 H2	L2 H3	L3 H3
6.95 m³	7.92 m³	9.39 m³	11.22 m³	13 m³

CHARGE & RANGE




DESIGNED FOR EFFICIENCY AND PERFORMANCE

Impressive Range
Choose between a 67 kWh, 83 kWh or 106 kWh battery for an all-electric range of up to 247 miles (WLTP combined). Further boosting range is a lightweight aerodynamically optimised body with an ultra-low drag factor of just 0.29 Cd.

Fast Charging
The SV can be rapid charged from 20% to 80% in as little as 36 minutes, helping minimise downtime.

High Performance
170 kW (231 PS) of peak power and 336 Nm of torque ensure smooth and responsive driving, even when fully loaded.


Agile and Comfortable
World-first use of an independent dual wishbone front suspension system on an electric van, the SV provides the comfort and handling of a passenger vehicle.



TOWING CAPACITY (BRAKED)
2,000 KG



CHARGE TIME (20-80%)*
36 MINS






MAX. WLTP RANGE (COMBINED/CITY)
247/342 MILES

*120kW charging for 67 kWh and 83 kWh batteries

† WLTP Combined



L1 H1 DIMENSIONS & WEIGHTS



CAPACITY
6.95 M3



MAX PAYLOAD
1,350 KG




GROSS VEHICLE
WEIGHT
3,500 KG

DIMENSIONS

	67 kWh	83 kWh		67 kWh	83 kWh
Length	4,990 mm		Minimum Ground Clearance	150 mm	
Width	1,980 mm		Cargo Platform Height	550 mm	
Height	1,980 mm		Turning Circle	12.2 m	
Front track	1,719 mm		Approach Angle	18 Degrees	
Rear track	1,722 mm		Departure Angle	17 Degrees	
Wheelbase	3,100 mm				
Front Overhang	830 mm				
Rear Overhang	1,060 mm				



WEIGHTS

	67 kWh	83 kWh
Kerb Weight	2,150 kg	2,235 kg
Gross Weight	3,500 kg	
Payload	1,350 kg	1,265 kg
Capacity	6.95 m³	




FARIZON

L1 H2 DIMENSIONS & WEIGHTS



CAPACITY
7.92 M3

MAX PAYLOAD
1,230 KG

GROSS VEHICLE
WEIGHT
3,500 KG



DIMENSIONS

	83 kWh		83 kWh
Length	4,990 mm	Minimum Ground Clearance	150 mm
Width	1,980 mm	Cargo Platform Height	550 mm
Height	2,180 mm	Turning Circle	12.2 m
Front track	1,719 mm	Approach Angle	18 Degrees
Rear track	1,722 mm	Departure Angle	17 Degrees
Wheelbase	3,100 mm		
Front Overhang	830 mm		
Rear Overhang	1,060 mm		

WEIGHTS

	83 kWh
Kerb Weight	2,270 kg
Gross Weight	3,500 kg
Payload	1230 kg
Capacity	7.92 m³

L2 H2 DIMENSIONS & WEIGHTS



CAPACITY
9.39 M3

MAX PAYLOAD
1,245 KG

GROSS VEHICLE WEIGHT
3,500 KG



DIMENSIONS

	67 kWh	83 kWh		67 kWh	83 kWh
Length	5,490 mm		Minimum Ground Clearance	150 mm	
Width	1,980 mm		Cargo Platform Height	550 mm	
Height	2,180 mm		Turning Circle	14.0 m	
Front track	1,719 mm		Approach Angle	18 Degrees	
Rear track	1,722 mm		Departure Angle	17 Degrees	
Wheelbase	3,600 mm				
Front Overhang	830 mm				
Rear Overhang	1,060 mm				

WEIGHTS


	67 kWh	83 kWh
Kerb Weight	2,255 kg	2,340 kg
Gross Weight	3,500 kg	
Payload	1,245 kg	1,160 kg
Capacity	9.39 m³	

L2 H3 DIMENSIONS & WEIGHTS






CAPACITY
11.22 M³



MAX PAYLOAD
1,245 KG



GROSS VEHICLE WEIGHT
3,500 KG



DIMENSIONS

	83 kWh		83 kWh
Length	5,490 mm	Minimum Ground Clearance	150 mm
Width	1,980 mm	Cargo Platform Height	550 mm
Height	2,500 mm	Turning Circle	14.0 m
Front track	1,719 mm	Approach Angle	18 Degrees
Rear track	1,722 mm	Departure Angle	17 Degrees
Wheelbase	3,600 mm		
Front Overhang	830 mm		
Rear Overhang	1,060 mm		

WEIGHTS

	83 kWh
Kerb Weight	2380 kg
Gross Weight	3,500 kg
Payload	2380 kg
Capacity	9.39 m ³

L3 H3 DIMENSIONS & WEIGHTS



CAPACITY
13.0 M3

MAX PAYLOAD
1,045 KG

GROSS VEHICLE WEIGHT
3,500 KG

DIMENSIONS

	83 kWh	106 kWh		83 kWh	106 kWh
Length	5,995 mm		Minimum Ground Clearance	150 mm	
Width	1,980 mm		Cargo Platform Height	550 mm	
Height	2,500 mm		Turning Circle	14.8 m	
Front track	1,719 mm		Approach Angle	18 Degrees	
Rear track	1,722 mm		Departure Angle	14 Degrees	
Wheelbase	3,850 mm				
Front Overhang	830 mm				
Rear Overhang	1,315 mm				

WEIGHTS

	83 kWh	106 kWh
Kerb Weight	2,455 kg	2,465 kg
Gross Weight	3,500 kg	
Payload	1,045 kg	1,035 kg
Capacity	13.0 m³	

REAR DOORS

- 180° rear doors
- 270° rear doors *(optional)*

SAFETY AND SECURITY

- E-Call+
- Anti-lock Braking System (ABS)
- Electronic brakeforce distribution / cornering brake control
- Driver & passenger airbag
- Driver height adjustable seat belt
- Driver & passenger seat belt reminder/alarm
- Tyre Pressure Monitoring System (TPMS)
- Automatic door locking
- Overspeed alarm
- Acoustic Vehicle Alerting System (AVAS)
- Collision power-off system
- Collision door opening system
- Door open reminder
- Central locking
- Smart key
- Keyless start system
- Four door anti-theft

ASSIST DRIVING CONFIGURATION

- 4 point front parking radar
- 4 point rear parking radar
- Electronic Parking Brake (EPB)
- Auto hold parking brake

INTERIOR

- Fixed double passenger seat
- Cup holders x 2
- Cup holder for driver seat
- Non-woven fabric front ceiling
- PVC front floor
- Rear compartment partition fixed (without window)
- Rear cabin ceiling light x 2
- PVC rear compartment floor
- Anchor points
- Multifunction steering wheel
- Heated steering wheel
- Full LCD dashboard
- Clothes hook
- 4-way manual adjustable driver seat
- Driver's seat handrail
- Ventilated and heated driver and outer passenger seat

ADAS / ADVANCED DRIVE ASSISTANCE SYSTEMS

- Door Open Warning (DOW)
- Rear Cross Traffic Alert (RCTA)
- Lane Change Assist (LCA)
- Lane Departure Warning System (LDWS)
- Intelligent High Beam Control (IHBC)
- Traffic Sign Interpretation (TSI)
- Lane Keep Assist (LKA)
- Autonomous Emergency Braking (AEBS)
- Predictive Collision Warning (PCW)
- Forward Collision Warning (FCW)
- Full Speed Range Adaptive Cruise Control (ACC)
- Intelligent Speed Assist (ISA)
- Urban highway Intelligent Cruise Control (ICC)
- Blind Spot Detection (BSD)
- 360 Around View (AVM360)
- Hill Descent Control (HDC)
- Driver Monitoring System (DMS)

INFOTAINMENT

- 12.3inch MP5+FM/AM+DAB+WIFI
- Maintenance reminder
- Bluetooth music
- Easy link
- Apple CarPlay
- 12V power outlet
- Vehicle-to-load (V2L) *(optional)*
- USB point x 2
- Speakers x 2

LIGHTS

- Automatic front LED headlights
- LED daytime running lights
- Front fog lamp
- Rear fog lamp
- LED high brake light

WINDOWS

- Power front windows
- One click lifting
- Exterior mirror integrated side turn signal
- Manual folding and electrically adjustable door mirrors
- Rain sensing wipers
- Heated windscreen

AC

- Automatic
- Defrosting & defogging vents

CARGO

- Payload monitoring system

OTHERS

- Rear trailer bar, trailer hook & TRM *(optional)*
- Tool bag & front hook
- Type 2 Charging cable
- Mode 2 Charging cable

READY TO MAKE THE SWITCH?



To find out more about the
Farizon SV, register your interest
or arrange a test drive, head to
www.farizonauto.co.uk





FARIZON

www.farizonauto.co.uk



The information in this brochure is not binding and is subject to alteration. Jameel Motors Farizon Auto reserves the right to change specifications at any time without notice. This brochure does not constitute an offer of sale of any particular vehicle or specification. Please confirm exact specifications, prices and colour availability with your Farizon dealer or check the Farizon website. Warranty covers 4-years / 120,000-mile warranty, with an 8-year / 120,000-mile warranty for the battery.